

NEW ITEMS

07/2026



Air Conditioning Service and Maintenance Unit

- for air conditioning service on R134a or R1234yf systems
- simple and easy to operate
- reduces time and cost
- fully automatic programme sequence
- Powerful vacuum pump
- incl. printer
- large illuminated LCD display
- with LED on / off switch
- suitable for most vehicles
- comprehensive vehicle database
- updateable
- multi-purpose and mobile
- heavy-duty, ball-bearing castors, including 2 lockable swivel castors



Art. 7092


Automatic Transmission Oil Exchange and Flushing Machine

- the comprehensive diagnostic solution for daily use in the workshop
- for removing and exchanging automatic transmission oil
- the condition of the automatic transmission oil deteriorates after approx. 50.000 km
- flushes and changes the oil in the transmission, torque converter and radiator completely in 15 min.
- little abrasion, longer life
- intelligent electronic control for complete automatic oil change
- automatic recognition and intelligent switching of oil flow direction
- incl. various adaptors
- suitable for most vehicles
- illuminated display
- with LED on / off switch
- heavy-duty, ball-bearing castors, including 2 lockable swivel castors



Workshop Trolley | 7 Drawers | with 246 Tools

- heavy duty workshop finish
- incl. 5 tool trays, 3/3 made from high-resistance foam (dimensions 567 x 408 x 32 mm)
- stable sheet steel construction
- powder-coated body, particularly resistant to scratches
- heavy-duty, ball-bearing castors, including 2 lockable swivel castors
- with side handle for easy maneuvering
- lockable with a central lock
- continuous handle strips
- edge protection on all four corners
- 7 smooth running, ball bearing drawers:
- 1st to 7th drawer capacity up to 30 kg (each drawer)
- stable plastic support with 6 storage compartments, load capacity up to 50 kg
- sealed upper work surface protects the interior of the workshop trolley from leaking liquids
- drawer width (internal dimension): 566.4 mm
- drawer depth (internal dimension): 418.20 mm
- drawer height (internal dimension): 5 x 51.20 mm | 1 x 123.20 mm | 1 x 195.20 mm
- wall thickness body: 0.8 - 1.2 mm
- wall thickness drawers: 0.8 - 1.2 mm



Induction Heating Dent Repair Kit

- for the removal of dents in a car's body without damaging the finish
- used in metal processing, automotive bodywork and vehicle workshops
- allows a pinpoint heating
- for paintless dent repair
- protects the surface of bodywork and paintwork
- illuminated display
- with LED on / off switch
- in sturdy plastic case for storage and transport



Art. 70240

Induction Heating Dent Repair Kit | 1200W | for Iron and Non-Iron Metals

- designed for flexible aluminium vehicle bodies
- for the removal of dents in a car's body without damaging the finish
- used in metal processing, automotive bodywork and vehicle workshops
- allows a pinpoint heating
- for paintless dent repair
- protects the surface of bodywork and paintwork
- illuminated display
- with LED on / off switch
- in sturdy plastic case for storage and transport



Art. 70245

Engine Support Silent-Bloc Extraction / Installation Tool Set | for VAG

- for the removal and installing of the two-piece engine support silent blocs
- for support bearings with the following equivalent numbers:
 - 1K0199313AQ, 1K0199313AS, 1K0199867, 1K0199867A, 1K0199867P, 1K0199867Q, 1K0199868, 1K0199868A, 1K0199868C, 1K0199868P, 1K0199868Q, 3C0199867B, 3C0199867C, 3C0199868B, 3C0199868C, 5Q0198037, 5Q0198037A, 5Q0198867, 5Q0198868
- for the following vehicle models:
 - Audi A3 (8P1) (May 2003–)
 - Audi TT (8J3, 8J9) (August 2006–June 2010)
 - Seat Altea (5P5, 5P5, 5P8) (March 2004–)
 - Seat Leon (1P1) (May 2005–)
 - Seat Toledo III (5P2) (April 2004–May 2009)
 - Škoda Octavia (1Z3, 1Z5) (February 2004–December 2010)
 - Volkswagen Caddy III (2KA, 2KB, 2KH, 2KJ, 2CA, 2CB, 2CH, 2CJ) (April 2004–August 2010)
 - Volkswagen EOS (1F7, 1F8) (June 2006–)
 - Volkswagen Golf Plus (5M1, 521) (Jan 2001–)
 - Volkswagen Golf V (1K1, 1K5) (October 2003–2009)
 - Volkswagen Golf VI (5K1, AJ5) (Oct 2008–)
 - Volkswagen Jetta III (1K2) (August 2005–October 2010)
 - Volkswagen Touran (1T1, 1T2, 1T3) (August 2003–)
 - Volkswagen Passat (3C2, 3C5, 362, 365) (March 2005–June 2010)
 - Volkswagen Scirocco (137) (May 2008–)
 - Volkswagen Tiguan (5N) (September 2007–)
- 1 mounting spindle M12x1.75, height 280 mm
- 1 spindle nut with bearing, M12x1.75
- 1 removal spindle M16x2, height 310 mm
- 1 removal/installation plate, Ø 89.5 mm, height 22 mm
- 1 removal sleeve, Ø 106 mm, height 92 mm
- 1 removal plate, Ø 89 mm, height 17 mm
- 1 assembly sleeve, Ø 106 mm, height 45 mm
- 1 assembly plate, Ø 82 mm, height 15 mm
- 1 fixing plate, length 280, width 22, height 2 mm
- 1 fixing plate, length 22, width 45.5, height 31.8 mm
- 1 fixing plate, length 16, width 49, height 72 mm
- 1 support bearing alignment insert, length 18, width 33.7, height 56 mm
- 1 nut M12x1.75
- 5 hexagon screws M6x1, length 30 mm



Art. 74819

Parts Washer | 150 l

- for use in car workshops, craft and industrial businesses, but also for cleaning work at home
- for cleaning of small parts
- suitable for all mildly alkaline, water soluble cleansers, e. g. universal cleaner, 5l BGS 9380
- heavy duty and robust design
- made of powder-coated steel sheet
- with protective cover
- large storage compartment in the base
- with LED on / off switch
- drain and vent opening
- quick and easy to install
- solid frame construction made of steel tube with 4 feet



Art. 74697

Parts Washer | 75 l

- for use in car workshops, craft and industrial businesses, but also for cleaning work at home
- for cleaning of small parts
- suitable for all mildly alkaline, water soluble cleansers, e. g. universal cleaner, 5l BGS 9380
- heavy duty and robust design
- made of powder-coated steel sheet
- with protective cover
- large storage compartment in the base
- with LED on / off switch
- drain and vent opening
- quick and easy to install
- movable, with 4 wheels



Art. 74696

Auto Diagnostic Multimeter



- perfect for checking of car electricity
- compact, light and handy
- digital multimeter, oscilloscope and signal generator
- Voltage measurements, for DC and AC voltage
- input impedance: 2 to 3 M Ω below 160 V, 10 M Ω above 160 V
- Maximum input voltage: 1000 Vpp, bandwidth: 500 kHz
- current measurements, for direct and alternating current
- Measuring range 0 mA to 200 mA, fused with 0.5 A (self-resetting)
- Measuring range 200 mA – 20 A, fused at 15 A (self-resetting) for 10 A continuous measurements, 20 A short-term measurements
- Resistance measurements for evaluating resistors and Temperature Sensors
- Frequency measurements display pulsating voltage in Hz
- Starter system test for checking the starter and charging systems
- Injection nozzle test for controlling the injection nozzle and capturing the real-time signal
- Relay test for relay control
- K-line signal, outputs a 5V square-wave signal, baud rates: 1200, 2400, 4800, 9600, 10400, 19200, 38400, 57600, 115200
- sinusoidal signal
- 5V signal, outputs a sine wave with a peak-to-peak value of 0 V to 4.5 V
- Signal frequency from 1 Hz to 10 kHz, duty cycle: 10% to 90%
- Oscilloscope for displaying ignition pulse signals, camshaft signals, crankshaft signals, wheel speed sensor signals, oxygen sensor signals, CAN bus data and K-line data
- large illuminated LCD display
- display resolution: 240 x 320 pixel
- updateable
- includes the following adapter cables:
 - C01 adapter:
 - DC connector for connection to vehicle battery
 - Output for injector and relay testing
 - K signal line and CAN+/CAN- signal line
 - Sine wave output signal, 5V output
 - Rectangle-wave output signal
 - C03 adapter cable:
 - Detection of line signals at higher voltages
 - C04 adapter cable:
 - DC connection, connected to the battery terminal lead



Art. 63407

Tool Storage Service Cart | mobile | height adjustable

- heavy duty workshop finish
- suitable for diagnostic devices such as laptops, tablets, testers, battery chargers, etc.
- offers a variety of storage options for cans, small parts and tools
- consisting of several shelves and storage compartments on the side
- large main compartment can be used as storage for tools or as a simple work space
- robust due to stable round tube frame construction
- individually height-adjustable
- plastic coating protects sensitive surfaces
- 4 heavy-duty, ball-bearing swivel castors, 2 lockable



Art. 4213

Double Open End Spanner Set | extra flat | with Ratchet Function | 6 - 19 mm | 7 pcs.

- compact set composition
- universally applicable for working and counterholding on screw connections
- extra flat type
- especially suitable for small spaces
- open end side with new ratchet mechanism
- all tools are stored in a practical pouch
- metric version
- 1 Double Open End Spanner | extra flat | with Ratchet Function | 6 x 7 mm (material thickness: 2.9 mm)
- 1 Double Open End Spanner | extra flat | with Ratchet Function | 8 x 9 mm (material thickness: 2.9 mm)
- 1 Double Open End Spanner | extra flat | with Ratchet Function | 10 x 11 mm (material thickness: 2.9 mm)
- 1 Double Open End Spanner | extra flat | with Ratchet Function | 12 x 13 mm (material thickness: 2.9 mm)
- 1 Double Open End Spanner | extra flat | with Ratchet Function | 14 x 15 mm (material thickness: 2.9 mm)
- 1 Double Open End Spanner | extra flat | with Ratchet Function | 16 x 18 mm (material thickness: 3.7 mm)
- 1 Double Open End Spanner | extra flat | with Ratchet Function | 17 x 19 mm (material thickness: 3.7 mm)



Art. 74583

Double Open End Spanner Set | extra flat | with Ratchet Function | 6 - 22 mm, 1/4" - 3/4" | 14-tlg.

- compact set composition
- universally applicable for working and counterholding on screw connections
- extra flat type
- especially suitable for small spaces
- open end side with new ratchet mechanism
- all tools are stored in a practical pouch
- metric and inch sizes
- 1 Double Open End Spanner | extra flat | with Ratchet Function | 6 x 7 mm (material thickness: 2.9 mm)
- 1 Double Open End Spanner | extra flat | with Ratchet Function | 8 x 9 mm (material thickness: 2.9 mm)
- 1 Double Open End Spanner | extra flat | with Ratchet Function | 10 x 11 mm (material thickness: 2.9 mm)
- 1 Double Open End Spanner | extra flat | with Ratchet Function | 12 x 13 mm (material thickness: 2.9 mm)
- 1 Double Open End Spanner | extra flat | with Ratchet Function | 14 x 15 mm (material thickness: 2.9 mm)
- 1 Double Open End Spanner | extra flat | with Ratchet Function | 16 x 18 mm (material thickness: 3.7 mm)
- 1 Double Open End Spanner | extra flat | with Ratchet Function | 17 x 19 mm (material thickness: 3.7 mm)
- 1 Double Open End Spanner | extra flat | with Ratchet Function | 20 x 22 mm (material thickness: 4.8 mm)
- 1 Double Open End Spanner | extra flat | with Ratchet Function | 21 x 23 mm (material thickness: 4.8 mm)
- 1 Double Open End Spanner | extra flat | with Ratchet Function | 22 x 24 mm (material thickness: 4.8 mm)
- 1 Double Open End Spanner | extra flat | with Ratchet Function | 1/4" x 5/16" (material thickness: 2.9 mm)
- 1 Double Open End Spanner | extra flat | with Ratchet Function | 3/8" x 7/16" (material thickness: 2.9 mm)
- 1 Double Open End Spanner | extra flat | with Ratchet Function | 1/2" x 9/16" (material thickness: 2.9 mm)
- 1 Double Open End Spanner | extra flat | with Ratchet Function | 5/8" x 3/4" (material thickness: 3.7 mm)



Art. 74584

Air Blow Gun and Pistol-Grip Air Inflator Set | 10 pcs.

- practical set composition
- for many applications in automotive and other areas
- wide range of applications
- suitable for the workshop and for home
- for checking tire air pressure and for filling tires with car tire valve (Schrader valve)
- pressure gauge with rubber protection
- universally applicable gun for blowing out, drying and cleaning surfaces or components
- for inflating e.g. footballs, inflatable mattresses
- solid execution for long product life time
- integrated eyelet for space saving hanging up
- recommended hose diameter: 10 mm (3/8")



Art. 3369

Air Blow Gun | with Low-Noise Nozzle

- for fast and easy removal and cleaning of chips and other foreign objects
- for many applications in automotive and other areas
- robust aluminum housing
- adjustable foam flow
- pistol grip for optimum handling
- high blow force
- with hanging hook



Art. 3329

Air Ratchet Wrench | 10 mm (3/8") | 67.5 Nm

- powerful ratchet wrench
- universally applicable for all screwing works
- with reversible function on ratchet head for quick change between forward and reverse mode
- with stepless speed regulation
- ergonomic and cold-insulating handle for fatigue-free working
- for optimal running smoothness and low-vibration and precise work
- recommended hose diameter: 10 mm (3/8")



Art. 7651

Air Ratchet Wrench | 12.5 mm (1/2") | 67.5 Nm

- powerful ratchet wrench
- universally applicable for all screwing works
- with reversible function on ratchet head for quick change between forward and reverse mode
- with stepless speed regulation
- ergonomic and cold-insulating handle for fatigue-free working
- for optimal running smoothness and low-vibration and precise work
- recommended hose diameter: 10 mm (3/8")



Art. 7652

Air Ratchet Wrench | 6.3 mm (1/4") | 32.5 Nm

- powerful ratchet wrench
- universally applicable for all screwing works
- with reversible function on ratchet head for quick change between forward and reverse mode
- with stepless speed regulation
- ergonomic and cold-insulating handle for fatigue-free working
- for optimal running smoothness and low-vibration and precise work
- recommended hose diameter: 10 mm (3/8")



Art. 7650

Vacuum Extraction Pump | pneumatic | 10 l

- for pneumatic and manual suction of liquids
- effortless suction by means of the vacuum principle
- clean, fast and easy suction, aspiration and draining of liquids
- suitable for lubricating oils, automatic transmission oil, coolant, brake fluid, water, low viscosity fluids
- with high quality pump body and reinforced pump head
- including different probes for various applications
- with integrated safety valve
- transparent container for checking the liquid level
- 1 extraction tank with vacuum hand pump and compressed air connection
- 1 dipstick oil extraction tube 5 mm
- 1 dipstick oil extraction tube 6 mm
- 1 extraction tube 8 mm
- 1 main extraction hose 10 mm



Art. 74667

Hand Grinder | 230 x 105 mm

- universal and versatile use
- for clamping sandpaper
- for car body repairs
- for grinding of surfaces in automotive and other areas
- supports you in various DIY activities
- suitable for all painting, plastering and renovation works
- convenient and safe to use
- fixing clamps on both sides
- grinding disc with a foam layer as a damping component for comfortable working



Art. 1687

Electrician's Scissors | Stainless Steel | 150 mm

- perfect tool for electricians and electrical specialists
- easy cutting of cables and wires
- cutting to length, stripping and crimping with just one tool
- large blade notch prevents the cable from slipping out
- versatile
- ergonomic 2-component handle
- heavy-duty stainless steel blades
- in a practical plastic holder with belt clip



Art. 74566

VDE Cable Knife | straight | 180 mm

- for stripping cables and wires
- perfect tool for electricians and electrical specialists
- with a rust-resistant, robust steel blade
- ergonomic 2-component handle
- with cap
- hanging hole for easy storage
- insulated tool tested according DIN EN/IEC 60900
- straight design



Art. 35889

VDE Cable Knife | Hook Blade | 180 mm

- for stripping cables and wires
- perfect tool for electricians and electrical specialists
- with a rust-resistant, robust steel blade
- ergonomic 2-component handle
- with cap
- hanging hole for easy storage
- insulated tool tested according DIN EN/IEC 60900



Art. 35893

Locking Grip Pliers Set | 6 pcs.

- to fix vehicle body parts or to hold sheet metal panels in position for welding
- various head forms
- tempered jaws
- adjustable contact pressure
- strong clamping effect due to a lever transmission
- simply and safe to use
- hardened teeth on the jaws
- continuously adjustable
- with quick-release lever
- ergonomic handle
- non-slip, ergonomic 2-component handle
- all tools are stored in a practical pouch
- 1 Locking Grip Pliers, 135 mm
- 1 Locking Grip Pliers, 180 mm
- 1 Locking Grip Pliers, 220 mm
- 1 Locking Long Nose Grip Pliers, 170 mm
- 1 Locking Long Nose Grip Pliers, 215 mm
- 1 Welding Locking Grip Pliers, 165 mm



Art. 4587

Welding Grip Pliers Set | 4 pcs.

- useful for aligning and welding metal sheets
- to fix vehicle body parts or to hold sheet metal panels in position for welding
- various head forms
- for holding bulky pieces of work
- flexible jaws
- simply and safe to use
- hardened teeth on the jaws
- strong clamping effect due to a lever transmission
- continuously adjustable
- with quick-release lever
- ergonomic handle
- non-slip, ergonomic 2-component handle
- safe and tidy storage in blow mold case
- the tool is protected in the plastic compartment and stowed in the recess in a non-slip manner
- 1 Welding Grip Pliers | 165 mm
- 1 Welding Grip Pliers | 229 mm
- 1 Welding Grip Pliers | 279 mm
- 1 Welding Grip Pliers | 356 mm



Art. 4586

Rivet Nut Attachment | Metal Version | M3 - M12

- practical set composition
- converts any drill into a rivet gun
- for use with electric drills, pneumatic drills and cordless screwdrivers (with right/left rotation, min. torque 20 Nm)
- heavy duty and robust design
- ergonomically shaped handle, comfortable to hold and non-slip
- quick lock
- with mounting key
- interchangeable rivet nut mandrels in different sizes
- suitable for rivet nuts M3, M4, M5, M6, M8, M10 and M12
- suitable for following blind rivets: Ø 2.4 / 3.2 / 4.0 / 4.8 / 6.0 / 6.4 mm
- aluminium and steel rivets
- for stainless steel rivets 2.4 - 4.0 mm
- the tools are protected in the hard foam tray and are stowed in the recesses in a non-slip manner
- safe and tidy storage in blow mold case



Art. 74690

Foam Gun for cartridges

- for PU foam
- adjustable foam flow
- tube length: 200 mm
- precise dosing
- with adjusting screw
- reduces dripping and improves precision
- pistol grip for optimum handling
- ergonomically shaped
- robust design
- wear resistant and durable
- even for repairs in hard-to-reach areas



Art. 73267

Riveter Set | Long Arm | for Blind Rivets and Rivet Nuts

- practical set composition
- for working with rivets made of aluminium, steel and stainless steel
- suitable for following blind rivets: Ø 3.2 / 4.0 / 4.8 / 6.0 / 6.4 mm
- interchangeable rivet nut mandrels in different sizes
- metric and inch sizes
- suitable for rivet nuts M4, M5, M6, M8, M10 and M12
- suitable for rivet nuts SAE 10-24, 5/16-18, 1/4-20
- handles can be folded
- extra long handle
- high leverage
- heavy duty and robust design
- anti-slip ergonomically formed 2-component handle
- for fatigue-free working
- with safety lock to prevent injuries
- the tool is protected in the plastic compartment and stowed in the recess in a non-slip manner
- safe and tidy storage in blow mold case
- 5 nosepieces for blind rivets 3.2, 4.0, 4.8, 6.0, 6.4 mm
- 6 rivet nut tension extensions, metric M4, M5, M6, M8, M10, M12
- 3 rivet nut tension extensions, inch sizes SAE 10-24, 5/16-18, 1/4-20
- 5 blind rivets 3.2 mm
- 5 blind rivets 4.0 mm
- 5 blind rivets 4.8 mm
- 5 blind rivets 6.0 mm
- 5 blind rivets 6.4 mm
- 5 rivet nuts M4
- 5 rivet nuts M5
- 5 rivet nuts M6
- 5 rivet nuts M8
- 5 rivet nuts M10
- 5 rivet nuts M12
- 5 SAE 10-24 rivet nuts
- 5 SAE 5/16-18 rivet nuts
- 5 SAE 1/4-20 rivet nuts



Art. 74579

Socket Set / Tool Assortment | 117 pcs.

- ideal basic tool equipment for the demanding mechanic as well as hand and do-it-yourselfer
- with hexagon sockets in short and deep version, as well as bits with different output profiles
- high-quality fine-tooth reversible ratchets with 90 teeth, inserted reversible lever, ergonomic two-component handle and quick-release button for fast tool changes
- contains among other things further diverse operating elements such as extension bars, spinner handle, sliding handle and universal joints
- for covering various screwing applications, even in hard-to-reach areas
- safe and tidy storage in blow mold case
- clear arrangement of the various sockets for fast finding of the required size
- knurled
- LED light
- extendable telescopic magnetic lifter with flexible gooseneck for lifting metal objects like screws, tools, coins etc.
- all screwdrivers are magnetic
- with hexagonal blade and black tips
- contains all common sizes and lengths so that the right tool is always to hand when screwing
- roll-off protection against rolling away due to asymmetric handle shape
- with hanging hole
- sockets, extension bar, reversible ratchet, pliers and combination wrenches made of chrome vanadium steel
- screwdrivers and bits made of high quality chrome vanadium steel (S2)
- bits additional with intelligent color coding system for each profile



Art. 7275

Socket Set / Tool Assortment | 95 pcs.

- comprehensive tool equipment for the demanding mechanic as well as hand and do-it-yourselfer
- with hexagon Pro torque® sockets in short version
- high-quality fine-tooth reversible ratchets with 72 teeth, inserted reversible lever, ergonomic two-component handle and quick-release button for fast tool changes
- contains among other things further diverse operating elements such as extension bars and universal joint
- for covering various screwing applications, even in hard-to-reach areas
- with different drive profiles
- safe and tidy storage in blow mold case
- clear arrangement of the various sockets for fast finding of the required size
- knurled
- all screwdrivers are magnetic
- with hexagonal blade and black tips
- contains all common sizes and lengths so that the right tool is always to hand when screwing
- roll-off protection against rolling away due to asymmetric handle shape
- with hanging hole
- universal knife for 18 mm break off segment blades, with metal guide
- sockets, extension bar, reversible ratchet, pliers and combination wrenches made of chrome vanadium steel
- screwdriver, L-type wrenches and bits made of high quality chrome vanadium steel (S2)



Art. 7276

Go-Through Socket Set | Hexagon | 10 - 24 mm | 17 pcs.

- ideal basic tool equipment for the demanding mechanic as well as hand and do-it-yourselfer
- suitable for daily workshop use
- especially suitable for screw connections with long thread overhang, e.g. threaded rods
- no limited depth like "normal" sockets
- the special "gear-lock-profile" can be used for hex., double hex., T-STAR, metric and inch size screws
- for covering various screwing applications, even in hard-to-reach areas
- reversible ratchet with narrow head shape
- serrated
- reversible ratchet
- clear arrangement of the various sockets for fast finding of the required size
- in a compact blow mould case with foam tray for a good overview and safe storage and transportation



Art. 74712

Impact Socket Set, Hexagon, extra flat | 12.5 mm (1/2") Drive | 10 - 24 mm | 15 pcs.

- compact set compilation with all common wrench sizes
- extra short
- provides access to connection components in difficult installation positions where a wrench or standard socket cannot be used
- suitable for both manual and impact wrenches
- can be fixed on impact wrench by pin and O-ring
- all sockets with external hexagon
- metric version
- on aluminium metal rail
- incl. clip holder
- 15 impact sockets hexagon, extra flat, 10 - 11 - 12 - 13 - 14 - 15 - 16 - 17 - 18 - 19 - 20 - 21 - 22 - 23 - 24 mm



Art. 74700

Tool Tray 3/3: Crowfoot Spanner Set | 10 mm (3/8"), 12.5 mm (1/2"), 20 mm (3/4") Drive | 10 - 50 mm | 32 pcs.

- for tightening and loosening pipe connections
- provides access to connection components in difficult installation positions where a wrench or standard socket cannot be used
- metric version
- for manual operation
- can also be used with torque wrenches
- tool tray made from high-resistance foam
- the tools are protected in the hard foam tray and are stowed in the recesses in a non-slip manner
- each individual tool has its appropriate place
- suitable for all BGS workshop trolleys and drawers of storage system combination



Art. 74716

Tool Tray 1/6: Hook Set | insulated | 180 mm | 4 pcs.

- perfect tool combination for use in the range of electrical installations or for repair and maintenance work on hybrid and electric vehicles
- for safe working in the area of voltaged parts
- all hooks with tip
- piercer (straight), hook 90° angled, hook with round head, double angled hook
- the tools are protected in the hard foam tray and are stowed in the recesses in a non-slip manner
- each individual tool has its appropriate place
- suitable for all BGS workshop trolleys and drawers of storage system combination
- insulated tool tested according to DIN EN/IEC 60900



Art. 74645

Multiple Charging Station | 3 x 2.5 A | 18 V

- rechargeable batteries and chargers are interoperable with the BGS 18 V system
- suitable for BGS 18 V system battery packs
- for short charging times
- with LED charging indicator
- housing made of impact-resistant plastic
- output voltage: 21 V
- charging current: 2.5 A
- protection class: II



Art. 7385

Metal Wedge / Pry Tool Set | 2 pcs.

- for working on the whole body
- for working on car interior lining, cover panel, dashboard, trim strips
- also suitable for hard-to-reach areas such as air ventilation slots, seat rails, door storage compartments and car dashboards
- conical end with a narrow radius
- extra slim design
- compact design
- high quality steel
- specially hardened for long service life
- extremely robust and resistant
- permits ergonomic and effortless working



Art. 74804

Oil Filter Wrench | 15-point | Ø 74.5 mm | for Ford 1.5, 1.6 EcoBoost

- for quick and professional installation and removal of the hard-to-reach filter cartridge
- especially suitable for small spaces
- for manual operation
- tightening according to the manufacturer's specification for torque
- for Ford vehicle models with 1.5 l and 1.6 l EcoBoost petrol engines
- Ford C-Max II
- Ford Focus III
- Ford Galaxy III
- Ford Kuga II
- Ford Mondeo IV
- Ford Mondeo V
- Ford S-Max II
- Ford Transit Connect II



Art. 74680

Axle Stand | Load Capacity 3000 kg | Stroke 440 - 720 mm

- suitable for daily workshop use
- can be used universally for cars, vans and trucks
- secures a vehicle in place to conveniently perform routine maintenance or daily repairs
- extra long type
- high stability due to a wide foot stand
- heavy duty, 4 leg finish
- adjustable in several height positions
- with pin safety device
- rugged steel construction



Art. 74670

Universal Pressing Support | for Workshop Press

- accessory set for workshop presses
- helpful when pressing out bearings, bolts, bushings, etc.
- individually height-adjustable
- offset pre-adjustable
- also suitable for use on track rod ends
- allows good adaptation to the workpiece
- high stability due to a wide foot stand
- includes lateral safety device



Art. 74703

Step Drill | Ø 4 - 52 mm

- Take your metalworking projects to the next level
- step drill allows to produce holes with several diameters in a single operation with 4 mm increasing drilling steps
- sheets are centered, drilled, reamed and deburred in a single operation
- combines high precision and flexibility in one single tool
- modern TiAlN coating (titanium aluminium nitride)
- TiAlN has better properties than TiN coating in every aspect
- high cutting performance
- right hand cutting
- absolutely smooth running
- robust and wear resistant
- convinces by high hardness, long life
- suitable for use with electric drills without impact function and cordless screwdriver



Art. 74702

Magnetic Shell and Paper Roll Holder Set | 4 pcs.

- universal set composition
- practical organizer for every workshop
- offers a variety of storage options for cans, small parts and tools
- fast, flexible and reliable attachment to all metallic surfaces
- all-purpose
- simple and safe handling
- strong rectangular magnet
- separate perforations, incorporated in the edge, for inserting screwdrivers
- magnets are protected by cover cap and prevents the surface from scratches
- edge protection prevents scratches and damage during installation
- stable sheet steel construction
- powder-coated body, particularly resistant to scratches
- 1 magnetic paper towel holder | max. capacity 2 kg | Ø 33 mm | for paper roll Ø max. 140 mm
- 1 magnetic tray | max. capacity 3 kg | 310 x 115 mm
- 1 magnetic tray | max. capacity 1.2 kg | 145 x 115 mm
- 1 can storage and screwdriver tray | max. capacity 1.2 kg | 310 x 115 mm | hole diameter Ø 75 mm



Art. 74574

Bin Liners | oil resistant | 600 x 650 mm | for BGS 74724 | 20 pcs.

- resistant to water, oil, etc.
- high durability
- tear-resistant
- pre-perforated in the middle and separable



Art. 74725

Cut Protection Mechanic's Gloves | Size 8 (M)

- good fit and secure grip
- high wearing comfort
- non-slip coating
- robust and wear resistant
- knitwrist
- partly PU coated
- high cut resistance
- rubber coated protectors
- minimal impairment of the sense of touch, thus also suitable for fine-motor assembly work
- suitable for: tire service
- modern BGS® brand design on the different panels



Art. 4540

Cut Protection Mechanic's Gloves | Size 9 (L)

- good fit and secure grip
- high wearing comfort
- non-slip coating
- robust and wear resistant
- knitwrist
- partly PU coated
- high cut resistance
- rubber coated protectors
- minimal impairment of the sense of touch, thus also suitable for fine-motor assembly work
- suitable for: tire service
- modern BGS® brand design on the different panels



Art. 4541

Cut Protection Mechanic's Gloves | Size 10 (XL)

- good fit and secure grip
- high wearing comfort
- non-slip coating
- robust and wear resistant
- knitwrist
- partly PU coated
- high cut resistance
- rubber coated protectors
- minimal impairment of the sense of touch, thus also suitable for fine-motor assembly work
- suitable for: tire service
- modern BGS® brand design on the different panels



Art. 4542

Safety Utility Knife | 155 mm

- easy and secure handling thanks to knife fixation, releasable with one push button
- compact design with practical push handle
- robust and durable thanks to stable all-metal housing
- fast blade exchange without tools
- incl. trapezoidal blades
- in plastic holder
- SK5 steel blade
- integrated eyelet for space saving hanging up



Art. 50618

Screw Extractor Set | for damaged T-Star (for Torx) T10 - T55 | 11 pcs.

- allows dismantling of screws with damaged T-star (for Torx) screw heads
- special, counterclockwise cutting thread with conical shape
- for safe loosening of the drive profile that can no longer be operated or is damaged
- for manual operation
- the tools are protected in the hard foam tray and are stowed in the recesses in a non-slip manner
- safe and tidy storage in blow mold case
- 12.5 mm (1/2") bit adaptor for 10 mm (3/8") extractor bits



Art. 74785

Die Holder Set | 10 mm (3/8") / 12.5 mm (1/2") Drive | 4 pcs.

- compact set composition
- can be used with reversible ratchet, thus also applicable in hard-to-reach areas
- incl. grub screws for fixing the die in the adapter
- suitable for all die sizes from M3 - M24
- round shaped
- heavy duty and robust design
- with mounting key
- the tools are protected in the hard foam tray and are stowed in the recesses in a non-slip manner
- safe and tidy storage in blow mold case



Art. 74683

HSS Milling Burr | Cone Shape | 60 mm

- for contour grinding, cutting, polishing, shaping, deflashing and keying
- combines high precision and flexibility in one single tool
- high durability and high efficiency in industrial and automotive applications
- for optimal running smoothness and low-vibration and precise work
- Higher cutting performance through cross-cutting
- good chip removal



Art. 74705

HSS Milling Burr | Reverse Taped Shape | 50 mm

- for contour grinding, cutting, polishing, shaping, deflashing and keying
- combines high precision and flexibility in one single tool
- high durability and high efficiency in industrial and automotive applications
- for optimal running smoothness and low-vibration and precise work
- Higher cutting performance through cross-cutting
- good chip removal



Art. 74708

HSS Milling Burr | Round Shape | 55 mm

- for contour grinding, cutting, polishing, shaping, deflashing and keying
- combines high precision and flexibility in one single tool
- high durability and high efficiency in industrial and automotive applications
- for optimal running smoothness and low-vibration and precise work
- Higher cutting performance through cross-cutting
- good chip removal



Art. 74707

HSS Milling Burr | Cylindrical Shape | 60 mm

- for contour grinding, cutting, polishing, shaping, deflashing and keying
- combines high precision and flexibility in one single tool
- high durability and high efficiency in industrial and automotive applications
- for optimal running smoothness and low-vibration and precise work
- Higher cutting performance through cross-cutting
- good chip removal



Art. 74706

HSS Drill Set | 14 - 25.5 mm | 8 pcs.

- compact set composition with extra large sizes
- for drilling through and center holes in alloyed and unalloyed steel, in non-ferrous metals, cast steel, cast iron and plastics
- stable drills for all standard applications
- shaped
- right hand cutting
- with a split point of 118°
- round shank
- dimensions 14 - 15 - 16 - 16.5 - 19 - 20.5 - 22 - 25.5 mm
- clear arrangement of the various drills to find the required size quickly
- in wooden box



Art. 72131

Tap with Guide Bolt | for Oxygen Sensors | M18 x 1.5


- for recutting rusted and damaged probe threads
- for NOX and particle filter sensors on exhaust systems
- short type
- especially suitable for confined areas
- with cleaning grooves in the guide bolt
- with 6 cutting edges for ideal centering
- smooth working and controlled power transmission
- easy sliding due to special coating



Art. 74633

Tap with Guide Bolt | for Sensors | M20 x 1.5

- for recutting rusted and damaged probe threads
- for NOX and particle filter sensors on exhaust systems
- short type
- especially suitable for confined areas
- with cleaning grooves in the guide bolt
- with 6 cutting edges for ideal centering
- smooth working and controlled power transmission
- easy sliding due to special coating



Art. 74634

Tap with Guide Bolt | for Sensors | M22 x 1.5

- for recutting rusted and damaged probe threads
- for NOX and particle filter sensors on exhaust systems
- short type
- especially suitable for confined areas
- with cleaning grooves in the guide bolt
- with 6 cutting edges for ideal centering
- smooth working and controlled power transmission
- easy sliding due to special coating



Art. 74635

Tap with Guide Bolt | for Temperature Sensors | M12 x 1.25

- for recutting rusted and damaged probe threads
- for NOX and particle filter sensors on exhaust systems
- short type
- especially suitable for confined areas
- with cleaning grooves in the guide bolt
- with 6 cutting edges for ideal centering
- smooth working and controlled power transmission
- easy sliding due to special coating



Art. 74630

Tap with Guide Bolt | for Temperature Sensors | M14 x 1.5


- for recutting rusted and damaged probe threads
- for NOX and particle filter sensors on exhaust systems
- short type
- especially suitable for confined areas
- with cleaning grooves in the guide bolt
- with 6 cutting edges for ideal centering
- smooth working and controlled power transmission
- easy sliding due to special coating



Art. 74631

Tap with Guide Bolt | for Temperature Sensors | M16 x 1.5


- for recutting rusted and damaged probe threads
- for NOX and particle filter sensors on exhaust systems
- short type
- especially suitable for confined areas
- with cleaning grooves in the guide bolt
- with 6 cutting edges for ideal centering
- smooth working and controlled power transmission
- easy sliding due to special coating



Art. 74632

Tap Set with Guide Bolt | for Sensors | 2 pcs.

- for recutting rusted and damaged probe threads
- for NOX and particle filter sensors on exhaust systems
- short type
- especially suitable for confined areas
- with cleaning grooves in the guide bolt
- with 6 cutting edges for ideal centering
- smooth working and controlled power transmission
- easy sliding due to special coating
- suitable for thread sizes M20 x 1.5 and M22 x 1.5



Art. 74629

Double Ratchet Ring Spanner Set | reversible | 4-in-1 | 3 pcs.

- compact set compilation with all common wrench sizes
- 3 wrenches with 4 sizes each
- reversible ratchet
- straight shape
- serrated
- inserted reversible lever
- 12-point output profile is designed for perfect torque transmission at the screw head



Art. 74718

Double Ratchet Ring Spanner | reversible | 4-in-1 | 8 x 10 - 9 x 11 mm

- straight shape
- serrated
- reversible ratchet
- inserted reversible lever
- 12-point output profile is designed for perfect torque transmission at the screw head



Art. 74719

Double Ratchet Ring Spanner | reversible | 4-in-1 | 12 x 13 - 14 x 15 mm

- straight shape
- serrated
- reversible ratchet
- inserted reversible lever
- 12-point output profile is designed for perfect torque transmission at the screw head



Art. 74720

Double Ratchet Ring Spanner | reversible | 4-in-1 | 16 x 17 - 18 x 19 mm

- straight shape
- serrated
- reversible ratchet
- inserted reversible lever
- 12-point output profile is designed for perfect torque transmission at the screw head



Art. 74721

Torque Wrench | 6.3 mm (1/4") | 1 - 5 Nm

- suitable on screws with right-hand thread
- integrated reversible ratchet with closed, narrow head shape
- right side use only
- ratchet mechanism, reversible
- easy locking and unlocking at the handle
- inserted reversible lever
- 72 teeth, exact gearing
- viewing window for torque value
- optimally designed plastic handle for easy setting of the desired torque value, as well as a secure grip of the tool handle
- clearly audible release tone
- the tool is protected in the hard foam tray and stowed in the recess in a non-slip manner
- safe and tidy storage in blow mold case
- incl. calibration certificate



Art. 7520

Torque Wrench | 6.3 mm (1/4") | 5 - 30 Nm

- suitable on screws with right-hand thread
- integrated reversible ratchet with closed, narrow head shape
- right side use only
- ratchet mechanism, reversible
- easy locking and unlocking at the handle
- inserted reversible lever
- 72 teeth, exact gearing
- viewing window for torque value
- optimally designed plastic handle for easy setting of the desired torque value, as well as a secure grip of the tool handle
- clearly audible release tone
- the tool is protected in the hard foam tray and stowed in the recess in a non-slip manner
- safe and tidy storage in blow mold case
- incl. calibration certificate



Art. 7521

Torque Wrench | 10 mm (3/8") | 20 - 120 Nm

- suitable on screws with right-hand thread
- integrated reversible ratchet with closed, narrow head shape
- right side use only
- ratchet mechanism, reversible
- easy locking and unlocking at the handle
- inserted reversible lever
- 72 teeth, exact gearing
- viewing window for torque value
- optimally designed plastic handle for easy setting of the desired torque value, as well as a secure grip of the tool handle
- clearly audible release tone
- the tool is protected in the hard foam tray and stowed in the recess in a non-slip manner
- safe and tidy storage in blow mold case
- incl. calibration certificate



Art. 7523

Torque Wrench | 12.5 mm (1/2") | 40 - 210 Nm

- suitable on screws with right-hand thread
- integrated reversible ratchet with closed, narrow head shape
- right side use only
- ratchet mechanism, reversible
- easy locking and unlocking at the handle
- inserted reversible lever
- 72 teeth, exact gearing
- viewing window for torque value
- optimally designed plastic handle for easy setting of the desired torque value, as well as a secure grip of the tool handle
- clearly audible release tone
- the tool is protected in the hard foam tray and stowed in the recess in a non-slip manner
- safe and tidy storage in blow mold case
- incl. calibration certificate



Art. 7524

Torque Wrench | 12.5 mm (1/2") | 70 - 350 Nm

- suitable on screws with right-hand thread
- integrated reversible ratchet with closed, narrow head shape
- right side use only
- ratchet mechanism, reversible
- easy locking and unlocking at the handle
- inserted reversible lever
- 72 teeth, exact gearing
- viewing window for torque value
- optimally designed plastic handle for easy setting of the desired torque value, as well as a secure grip of the tool handle
- clearly audible release tone
- the tool is protected in the hard foam tray and stowed in the recess in a non-slip manner
- safe and tidy storage in blow mold case
- incl. calibration certificate



Art. 7525

Torque Wrench | 20 mm (3/4") | 150 - 750 Nm

- suitable on screws with right-hand thread
- integrated reversible ratchet with closed, narrow head shape
- right side use only
- ratchet mechanism, reversible
- easy locking and unlocking at the handle
- inserted reversible lever
- 72 teeth, exact gearing
- viewing window for torque value
- optimally designed plastic handle for easy setting of the desired torque value, as well as a secure grip of the tool handle
- clearly audible release tone
- the tool is protected in the hard foam tray and stowed in the recess in a non-slip manner
- safe and tidy storage in blow mold case
- incl. calibration certificate



Art. 7526

Torque Wrench | 25 mm (1") | 150 - 1000 Nm

- suitable on screws with right-hand thread
- integrated reversible ratchet with closed, narrow head shape
- right side use only
- ratchet mechanism, reversible
- easy locking and unlocking at the handle
- inserted reversible lever
- 72 teeth, exact gearing
- viewing window for torque value
- optimally designed plastic handle for easy setting of the desired torque value, as well as a secure grip of the tool handle
- clearly audible release tone
- the tool is protected in the hard foam tray and stowed in the recess in a non-slip manner
- safe and tidy storage in blow mold case
- incl. calibration certificate



Art. 7527

Torque Wrench | 10 - 50 Nm | for 9 x 12 mm Insert Tools

- suitable on screws with right-hand thread
- Plug-and-socket connection for insert tools 9 x 12 mm
- wide range of applications for controlled screw tightening in tyre service, bicycle, passenger car and commercial vehicle applications as well as various applications in trade and industry
- sealing ring to protect against debris
- viewing window for torque value
- easy locking and unlocking at the handle
- lasered line scale with fine adjustment for the respective setting value
- optimally designed plastic handle for easy setting of the desired torque value, as well as a secure grip of the tool handle
- clearly audible release tone
- the tool is protected in the hard foam tray and stowed in the recess in a non-slip manner
- safe and tidy storage in blow mold case
- incl. calibration certificate
- fine scale: 2.5 Nm



Art. 7528

Torque Wrench | 20 - 120 Nm | for 9 x 12 mm Insert Tools

- suitable on screws with right-hand thread
- Plug-and-socket connection for insert tools 9 x 12 mm
- wide range of applications for controlled screw tightening in tyre service, bicycle, passenger car and commercial vehicle applications as well as various applications in trade and industry
- sealing ring to protect against debris
- viewing window for torque value
- easy locking and unlocking at the handle
- lasered line scale with fine adjustment for the respective setting value
- optimally designed plastic handle for easy setting of the desired torque value, as well as a secure grip of the tool handle
- clearly audible release tone
- the tool is protected in the hard foam tray and stowed in the recess in a non-slip manner
- safe and tidy storage in blow mold case
- incl. calibration certificate
- fine scale: 5 Nm



Art. 7529

Torque Wrench | 40 - 210 Nm | for 14 x 18 mm Insert Tools

- suitable on screws with right-hand thread
- Plug-and-socket connection for insert tools 14 x 18 mm
- wide range of applications for controlled screw tightening in tyre service, bicycle, passenger car and commercial vehicle applications as well as various applications in trade and industry
- sealing ring to protect against debris
- viewing window for torque value
- easy locking and unlocking at the handle
- lasered line scale with fine adjustment for the respective setting value
- optimally designed plastic handle for easy setting of the desired torque value, as well as a secure grip of the tool handle
- clearly audible release tone
- the tool is protected in the hard foam tray and stowed in the recess in a non-slip manner
- safe and tidy storage in blow mold case
- incl. calibration certificate
- fine scale: 1 Nm



Art. 7530

Torque Wrench | 70 - 350 Nm | for 14 x 18 mm Insert Tools

- suitable on screws with right-hand thread
- Plug-and-socket connection for insert tools 14 x 18 mm
- wide range of applications for controlled screw tightening in tyre service, bicycle, passenger car and commercial vehicle applications as well as various applications in trade and industry
- sealing ring to protect against debris
- viewing window for torque value
- easy locking and unlocking at the handle
- lasered line scale with fine adjustment for the respective setting value
- optimally designed plastic handle for easy setting of the desired torque value, as well as a secure grip of the tool handle
- clearly audible release tone
- the tool is protected in the hard foam tray and stowed in the recess in a non-slip manner
- safe and tidy storage in blow mold case
- incl. calibration certificate
- fine scale: 2 Nm



Art. 7531

Engine Timing Tool Set | for Opel / Vauxhall 1.5 CRDI, 1.5 CDTi, 2.0 CDTi

- compact set composition
- suitable for daily workshop use
- for checking and setting the engine timing
- allows holding down and fixing of the camshaft
- the tools are protected in the hard foam tray and are stowed in the recesses in a non-slip manner
- safe and tidy storage in blow mold case
- Opel / Vauxhall 1.5 CRDI, 1.5 CDTi, 2.0 CDTi engines
engine codes: Z18 LSQ, F20, D20 RCE, D15DVC, D15DVH, F15DVC
installed in the following vehicle models:
Opel Astra K (06/2015-)
Opel Astra K estate (05/2018-)
Opel Astra K Sports Tourer (11/2015-)
Opel Insignia B (03/2017-)
Opel Insignia B Sports Tourer (03/2017-)
- 1 vibration damper holder, to be used as OEM EN-52438-100
- 1 camshaft locking Tool, to be used as OEM EN-52769
- 1 camshaft position sensor locking tool, to be used as OEM EN-52771
- 1 crankshaft wrench, to be used as OEM EN-52783
- 1 flywheel locking tool, to be used as OEM EN-52476
- 1 screw for vibration damper holder, to be used as OEM EN-52438-400
- 1 tensioner fixing tool, to be used as OEM EN-50513



Art. 62508

Engine Timing Tool Set | for Opel / Vauxhall 1.2 LIH F12SHL F12SHT F12SHR

- compact set composition
- suitable for daily workshop use
- for checking and setting the engine timing
- the tools are protected in the hard foam tray and are stowed in the recesses in a non-slip manner
- safe and tidy storage in blow mold case
- Opel / Vauxhall Astra K 1.2L petrol engine (2019-2022)
- engine codes: LIH F12SHL, F12SHT, F12SHR
- camshaft locking tool, to be used as OEM EN-52457
- camshaft adjusting tool, to be used as OEM EN-52458, EN-52458-3
- flywheel locking tool, to be used as OEM EN-52476
- installation tool for front crankshaft seal, to be used as OEM EN-52432
- V-belt tensioner fixing pin, to be used as OEM EN-955-A
- timing chain tensioner fixing pin, to be used as OEM EN-955-10-A



Art. 62507

Engine Timing Tool Set | for Mercedes-Benz M254, M256

- compact set composition
- suitable for daily workshop use
- for checking and setting the engine timing
- the tools are protected in the hard foam tray and are stowed in the recesses in a non-slip manner
- safe and tidy storage in blow mold case
- for Mercedes-Benz engines of the M254 and M256 series
- installed in the following vehicle models:
- Mercedes-Benz AMG GT 270 kW (2018–2026)
- Mercedes-Benz AMG GT 320 kW (2018–2026)
- Mercedes-Benz CLE Cabriolet 297 kW (2024–2026)
- Mercedes-Benz CLE Cabriolet 347 kW (2024–2026)
- Mercedes-Benz CLE Coupé 297 kW (2024–2026)
- Mercedes-Benz CLE Coupé 347 kW (2024–2026)
- Mercedes-Benz CLS 270 kW (2018–2025)
- Mercedes-Benz CLS 320 kW (2018–2025)
- Mercedes-Benz E-Class 320 kW (2018–2023)
- Mercedes-Benz E-Class 270 kW (2018–2023)
- Mercedes-Benz E-Class 280 kW (2023–2026)
- Mercedes-Benz E-Class 450 kW (2023–2026)
- Mercedes-Benz E-Class Coupé/Cabriolet 320 kW (2018–2024)
- Mercedes-Benz E-Class Coupé/Cabriolet 270 kW (2020–2024)
- Mercedes-Benz GLE 270 kW (S) (2019–2026)
- Mercedes-Benz GLE 320 kW (2019–2025)
- Mercedes-Benz GLE Coupé 320 kW (2020–2025)
- Mercedes-Benz GLE Coupé 270 kW (2020–2025)
- Mercedes-Benz GLS 270 kW (2019–2025)
- Maybach GLS 270 kW (2020–2025)
- Maybach S-Class 270 kW (2020–2025)
- Mercedes-Benz S-Class 270 kW (2017–2026)
- Mercedes-Benz S-Class 320 kW (2017–2021)
- Mercedes-Benz S-Class 230 kW (2020–2025)
- Mercedes-Benz S-Class 270 kW (2020–2025)
- 1 camshaft turning tool, to be used as OEM 177 589 01 09 00
- 1 crankshaft pulley holding tool, to be used as OEM 654 589 00 40 00
- 1 camshaft setting tool, to be used as OEM 256 589 00 23 00
- 1 camshaft setting tool, to be used as OEM 256 589 00 23 00
- 1 camshaft setting tool, to be used as OEM 256 589 00 23 00
- 1 diesel high-pressure pump puller, to be used as OEM 654 589 00 14 00
- 1 crankshaft locking pin, to be used as OEM 654 589 00 21 00
- 1 camshaft socket, to be used as OEM 177 589 01 09 00
- 1 crankshaft Pulley Holding Tool, to be used as OEM 654 589 00 40 00
- 1 crankshaft adjustment tool, to be used as OEM 654 589 00 21 00
- 1 bit socket, T-Star (for Torx) tamperproof, T100, for camshaft adjuster
- 1 camshaft locking tool adapter, to be used as OEM 654 589 03 21 01
- 1 camshaft adjuster locking tool, to be used as OEM 256 589 02 31 00



Balance Shaft Assembling and Disassembling Tool Set | for Jaguar, Land Rover 2.0L Diesel

- designed for the removal, refitting and adjustment of balance shafts
- removal effected out on the timing chain / transmission side
- it is not necessary to remove the transmission
- the tool is protected in the plastic compartment and stowed in the recess in a non-slip manner
- safe and tidy storage in blow mold case
- suitable for 2.0 L diesel engines in Jaguar and Land Rover
- engine codes: AJ200, AJ200D, 204DTA, 204DTD
- suitable for the following vehicle models:
- Jaguar E-Pace (2017-)
- Jaguar F-Pace (2016–2020)
- Jaguar XE (2015–2020)
- Jaguar XF (2015–2020)
- Land Rover Discovery (2017-)
- Land Rover Discovery Sport (2015–2019)
- Range Rover Evoque (2015–2019)
- Range Rover Sport (2016–2018)
- Range Rover Velar (2017-)
- 2 removal/installation guide rods with screw, to be used as OEM JLR-303-1665
- 1 TDC alignment plate with screws, to be used as OEM JLR-303-1662
- 1 balancer shaft gear separation tool guide, to be used as OEM JLR 303-1663-3
- 1 balancer shaft alignment tool, to be used as OEM JLR-303-1664
- 1 balance shaft gear separator screw, to be used as OEM JLR-303-1663-1
- 1 balance shaft gear separator body, to be used as OEM JLR-303-1663-2



Art. 74689

Exhaust Camshaft Alignment Tool | for Opel, Peugeot, Citroen, Fiat 1.2L (EB2)

- for aligning the exhaust camshaft on newer 1.2L (EB2) engines
- Citroën Berlingo IV (2018-), Citroën C3 Aircross (2016-), Citroën C-Elysee (2018-2020), Citroën C5 Aircross (2019-), Citroën C4 Cactus (2014-), Citroën DS4 (2014-2019), Citroën 3 (2016-), Citroën 7 (2018-)
- Peugeot 208 (2014-), Peugeot 308 (2014-), Peugeot 508 (2019-), Peugeot 2008 (2013-), Peugeot 3008 (2014-), Peugeot 5008 (2014-), Peugeot Partner (2014-), Peugeot Rifter (2018-)
- Vauxhall Combo-E (2018-), Vauxhall Corsa-F (2019-), Vauxhall Crossland X (2017-), Vauxhall Grandland X (2017-2018)
- Engine codes:
- EB2ADT (HNK), EB2ADT (HNP), EB2ADTD, EB2ADTD (HNK), EB2ADTS, EB2ADTS (HNS), EB2ADTX (HNN), EB2DT (HNZ), EB2DTM (HNV), EB2DTS (HNW), EB2DTS (HNY), B2DTSM (HNW), HMM (EB2FAD), HMU (EB2FD), HNK (EB2ADTD), HNN (EB2ADTX), HNP (EB2ADT), HNS (EB2ADTS), HNV (EB2DT), HNV (EB2DTM), HNW (EB2DTSM), HNX (EB2DT), HNX (EB2DTSD), HNY (EB2DTS), HNZ (EB2DT), LEG/EB2ADTS, LEG/EB2DTS, LES/B12XHT (EB2DTS), LES/D12XHL (HNP/EB2ADT), LES/D12XHT (EB2ADTS), LES/EB2ADT, LES/EB2DT, LES/F12XHT (HNS/EB2ADTS), LEZ/EB2F, LEZ/EB2FA



Art. 74691

Camera Adjusting Wrench | for Tesla Model 3, Y

- for adjusting the forward-facing camera
- universally adjustable angle of inclination
- turning the wrench clockwise tilts the camera upwards
- turning the wrench anti-clockwise tilts the camera downwards
- Tesla Model 3, Y
- to be used as OEM 1448868-00-B



Art. 74656

Electric Motor Bushing Tool | for Tesla Model 3

- for disassembly and assembly of the front motor bushing
- enables easy and precise assembly and disassembly
- extremely robust spindle
- spindle with trapezoidal thread for high pull-off forces
- specially developed support sleeve with lateral recess
- Tesla Model 3



Art. 74699

Rear Axle Shock Absorber Alignment Tool | for Tesla

- for determining the installation position of the rear axle control arms
- allows precise alignment with the manufacturer-set preset tension
- for easy and fast assembly
- simple and safe handling
- Tesla Model 3, Y



Art. 74651

Spring Strut Socket | 10 mm (3/8") Drive | 13 mm | for Tesla

- to remove the front strut assembly from the shock absorber
- it is not necessary to remove the front upper wishbone bracket
- extra thin-walled
- magnetic inlay
- Tesla Modell 3, Y



Art. 74646

Headrest Removal Tool Kit | for Tesla | 2 pcs.

- for removing the headrests
- for side insertion into the headrest bar
- slightly angled design
- simple and easy to operate
- Tesla Model 3, Y



Art. 74653

Tail Light Removal Tool | 10 mm (3/8") Drive | for Tesla Model 3

- to remove the top cover of the tail light assembly
- exact fit
- robust and wear resistant
- for manual operation
- with ext. hexagon
- Tesla Model 3



Art. 74647

Seat Belt Release Tool | for Tesla

- to release the seatbelt pre-tensioner
- for damage-free and professional belt buckle disassembly
- simple and easy to operate
- makes disassembly much easier
- Tesla Model 3, Y



Art. 74650

Front Upper Control Arm Ride Height Gauge | for Tesla Model 3, Y

- for determining the installation position of the upper control arms on the front axle
- special spacing insert for installation in the upper mounting point of the suspension arm bracket
- for easy and fast assembly
- simple and safe handling
- Tesla Model 3, Y



Art. 74652

Oil Filter Wrench | 14-point | Ø 63.5 mm | for Tesla

- for the oil filter of the drive unit
- for loosening and tightening oil filters
- robust and wear resistant
- tightening according to the manufacturer's specification for torque
- for manual operation
- for oil filters with part number: 1095038-00-A / 1618882-00-A
- Tesla Model S, 3, X, Y



Art. 74649

Omega Clip Dismantling Tool | for VAG, Tesla, Mercedes-Benz

- to remove the spring steel retaining clips
- for removing panel clips and automotive interior moulding clips
- for fast and easy dismantling of car interior linings
- protects the car body during repair jobs
- compatible with most vehicle manufacturers and models
- Tesla Model X
- Tesla Model Y
- BMW
- Mercedes-Benz (2008 - 2020)
- Audi
- Seat
- Škoda
- Volkswagen
- Cupra
- Porsche



Art. 74648

Duplex Clutch Repair Kit | for VAG DSG Wet Transmissions

- compact set composition
- suitable for daily workshop use
- for removing and installing the wet plate double clutch on the transmission
- the tools are protected in the hard foam tray and are stowed in the recesses in a non-slip manner
- safe and tidy storage in blow mold case
- VAG DSG DQ 250 6-speed (02E), DQ 380 & 381, 7-speed (0DW, 0DE) and DQ 500 7-speed (0BH)
- 1 universal dial gauge holder, to be used like OEM VW387
- 1 retaining bolt DSG clutch assembly 6-speed, to be used like OEM T10303
- 1 retaining bolt DSG clutch assembly 7-speed, to be used like OEM T10524
- 1 small dial gauge, Ø41 mm, measuring range 0 - 8 mm
- 2 extractor hooks, to be used like OEM T40207, 3438
- 1 mounting sleeve for 6-speed end cap, to be used like OEM T10302
- 1 mounting sleeve for 7-speed end cap, to be used like OEM T10459
- 1 stylus extension for dial gauge, 83 mm



Art. 74573

Engine Timing Tool Set | for Mercedes-Benz 1.6L / 2.0L Diesel (M654)

- compact set composition
- suitable for daily workshop use
- for checking and setting the engine timing
- the tools are protected in the hard foam tray and are stowed in the recesses in a non-slip manner
- safe and tidy storage in blow mold case
- for Mercedes-Benz 1.6L (654.916) / 2.0L (654.920) engines
- installed in the following vehicle models:
- Mercedes-Benz A-Class (2019-)
- Mercedes-Benz B-Class (2019-)
- Mercedes-Benz C-Class (2018-)
- Mercedes-Benz CLA (2019-)
- Mercedes-Benz CLS (2018-)
- Mercedes-Benz E-Class (2016-)
- Mercedes-Benz GLB (2019-)
- Mercedes-Benz GLC Coupé (2019-)
- Mercedes-Benz GLE (2019-)
- Mercedes-Benz V-Class (2019-)
- Mercedes-Benz Vito (2019-)
- 1 crankshaft turning tool, to be used as OEM 654 589 00 40 00
- 2 camshaft locking tools, to be used as OEM 654 589 01 40 00
- 1 crankshaft alignment block, to be used as OEM 654 589 00 21 00
- 1 crankshaft alignment pin, to be used as OEM 654 589 00 21 00



Art. 62649

Flywheel Locking Tool Set | for Mercedes-Benz, Renault, Dacia 0.9, 1.3 and 1.6 Petrol

- for locking the flywheel
- allows safe and damage-free removing and installation of crankshaft pulleys
- metal stand with mounting holes
- 0.9, 1.3 and 1.6 litre petrol engines
- Mercedes-Benz A-Class (2018-)
- Mercedes-Benz B-Class CLA, GLA, GLB (2019-)
- Renault Arkana (2018-)
- Renault Clio V (2019-)
- Renault Captur (2018-)
- Renault Kadjar (2018-)
- Renault Megane IV (2017-)
- Renault Scenic (2018-)
- Renault Talisman (2018-)
- Dacia Dokker (2019-)
- Dacia Lodgy (2019-)
- Dacia Duster (2018-)
- engine codes: 282.914, H5H, H5H 450, H5H 470, H5H 480



Art. 74688

Tool Tray 1/3: Camshaft Alignment Tool Set | for Mercedes-Benz M176, M177

- suitable for daily workshop use
- for aligning and fixing the camshaft in TDC position
- tool tray made from high-resistance foam
- the tools are protected in the hard foam tray and are stowed in the recesses in a non-slip manner
- each individual tool has its appropriate place
- suitable for all BGS workshop trolleys and drawers of storage system combination
- Mercedes-Benz V8 petrol engines M176 and M177, installed in the W217 / W222 models (2019-)
- Camshaft alignment tool, to be used like OEM 177589024000
- Camshaft Holding Tool, to be used like OEM 177589024000



Art. 74714

Gear Box Locating Pin Puller | for ZF

- for dismantling the gearbox positioning pin
- is required for professional disassembly and assembly of gearbox housings
- heavy duty and robust design
- Gearboxes from the manufacturer ZF, ZF12S & ZF16S series



Art. 74698

Heater Hose Disconnect Tool | for GM

- for disconnecting of the heater hose connectors
- the splined shaft cuts into the coupling
- GM (General Motors)



Art. 74662

Fuel Pump Maintenance Cover Removal Tool | for Ford 2.0L Diesel EcoBlue

- for removing the inspection cover of the fuel pump sprocket
- allows access to the fixing bolt on the fuel pump sprocket
- no need to remove the entire front cover
- for maintenance cover (timing belt cover) OEM JB3Q-6095-AA



Art. 74751

Crankshaft Seal Ring Installation Tool | for for Ford 1.0 & 1.1 Ti-VCT / EcoBoost

- for installing the crankshaft front seal ring
- for easy and fast assembly
- for precise installation of the sealing ring at the correct depth
- prevents damage to the seal ring and the engine housing
- Ford 1.0 & 1.1 Ti-VCT / EcoBoost engines
- to be used as OEM 303-1603, 303-1636



Art. 74784

Camshaft Locking Tool Set | for Audi 3.6 V8, 4.2 V8 Petrol

- for checking and setting the engine timing
- for locking the camshafts
- for the following Audi petrol engines:
 - 3.6L V8, engine code: PT
 - 4.2L V8, engine code: AEC, ABH, AHK
- installed in the following vehicle models
 - Audi 100 (1991–1994)
 - Audi S6 (1994–1997)
 - Audi V8 (1989–1993)
- to be used as OEM 3199



Art. 74783

Engine Timing Tool Set | for VAG 1.0, 1.2, 1.4 TSI Petrol

- suitable for daily workshop use
- for checking and setting the engine timing
- to be used in conjunction with tool kit item 74684
- the tools are protected in the hard foam tray and are stowed in the recesses in a non-slip manner
- each individual tool has its appropriate place
- suitable for all BGS workshop trolleys and drawers of storage system combination
- VAG vehicle models with 1.0L / 1.2L / 1.4L TSI engines EA211
 - 1.0L CHZA, CHZL, DKLD, CHZB, CPGA, DKRA, CHZC, DBYA, DKRB, CHZD, DKJA, DKRC, CHZF, DKLA, DKRF, CHZJ, DKLB, CHZK, DKLC
 - 1.2L CJZA, CJZB, CJZC, CJZD, CYVA, CYVB, CYVD
 - 1.4L CHPA, CXSA, CMBA, CZCA, CPVA, CZDA, CPVB, CZDD, CPWA, DGEA, CUKB, DGEB, CUKC, DJKA
- 2 adapter plate spacers, to be used as OEM VAS 611 007
 - 1 intake camshaft adapter 1.0L / 1.2L / 1.4L TSI, to be used as OEM VAS 611 007
 - 1 exhaust camshaft adapter 1.0L / 1.2L / 1.4L TSI, to be used as OEM VAS 611 007
- 1 inclinometer reference tool 1.0L / 1.2L / 1.4L TSI, to be used as OEM VAS 611 007



Art. 74685

Crankshaft Pulley Holding Tool | for PSA, Toyota, Vauxhall 1.0 & 1.2 Petrol

- for holding the crankshaft pulley while loosening or tightening the middle pulley bolt
- for 3- and 6-bolt fixing pulley hub types
- Citroën
- Peugeot
- DS Automobiles
- Opel/Vauxhall
- Toyota
- engines: EB0 1.0 I, EB2 1.2 I 3-cylinder (wet belted)





Art. 74687

Service Tool Cart | mobile




- whether for craftsmen or do-it-yourselfers, the perfect support for your projects
- for use in workshop and kitchen
- with storage levels for tools and small parts
- high load capacity
- folds to a handy size
- in practical storage pouch Ø 300 mm
- with handle for easy maneuvering
- 4 rolling wheels
- with parking brake



Art. 90112

Bicycle Cleaning Brush Set | 4 pcs.

- suitable for a wide range of cleaning applications
- for heavy-duty cleaning
- can also be used for cleaning rims as well as motorcycles, scooters, bicycles and e-bikes
- robust and break-proof type
- easy to clean
- wide range of applications
- different sizes and shapes
- regular cleaning extends the life of the chain
- especially designed for narrow and hard to reach working conditions
- made of high-grade plastic, wear-resistant and long-lasting
- with ergonomic handle
- hanging hole for easy storage
- 1 round brush, 260 mm, Ø 58 mm
- 1 frame brush, 220 x 50 x 50 mm
- 1 chain brush with scraper, 225 mm
- 1 synthetic bristles corner cleaning brush, 230 mm



Art. 50914

Repair Kit for Glow Plug Threads | M8 - M9 - M10 - M12



- compact set composition
- for repairing the glow plug mounting thread in the cylinder head
- simple and safe handling
- right-hand cutting taps
- Replacement tap inserts for Thread Repair Kit
- thin wall
- secure fit
- the tools are protected in the hard foam tray and are stowed in the recesses in a non-slip manner
- in a metal case
- 5 reamers for reaming the original thread M8 x 1.0 mm - M9 x 1.0 mm - M10 x 1.0 mm - M10 x 1.25 mm - M12 x 1.25 mm
- 5 taps for threaded sleeves M8 x 1.0 mm - M9 x 1.0 mm - M10 x 1.0 mm - M10 x 1.25 mm - M12 x 1.25 mm
- 5 taps for trimming the original thread M8 x 1.0 mm - M9 x 1.0 mm - M10 x 1.0 mm - M10 x 1.25 mm - M12 x 1.25 mm
- 5 assembly tools for inserting the threaded sleeves
- 5 threaded sleeves M8 x 1.0 mm (11 mm long)
- 5 threaded sleeves M9 x 1.0 mm (11 mm long)
- 5 threaded sleeves M10 x 1.25 mm (12 mm long)
- 5 threaded sleeves M10 x 1.0 mm (12 mm long)
- 5 threaded sleeves M10 x 1.0 mm (19 mm long)
- 5 threaded sleeves M12 x 1.25 mm (12 mm long)
- 5 threaded sleeves M12 x 1.25 mm (19 mm long)
- 5 threaded sleeves M12 x 1.25 mm (26 mm long)



Art. 19535

Repair Kit for Glow Plug Threads | M8 x 1.0



- compact set composition
- for repairing the glow plug mounting thread in the cylinder head
- simple and safe handling
- right-hand cutting taps
- 5 thread inserts
- thin wall
- secure fit
- the tools are protected in the hard foam tray and are stowed in the recesses in a non-slip manner
- in a metal case
- 1 reamer for reaming the original M8 x 1.0 mm thread
- 1 tap for threaded sleeves M10 x 1.0 mm
- 1 tap for reaming the original threads M8 x 1.0 mm
- 1 assembly tool for inserting the threaded sleeves
- 5 threaded sleeves M8 x 1.0 mm (11 mm long)



Art. 19530

Torque Wrench Set | 6.3 mm (1/4") 2 - 24 Nm, 10 mm (3/8") 19 - 110 Nm, 12.5 mm (1/2") 28 - 210 Nm | 3 pcs.



- compact set composition
- suitable on screws with right-hand thread
- integrated reversible ratchet with closed, narrow head shape
- set torque is locked by stop crew
- right side use only
- ratchet mechanism, reversible
- inserted reversible lever
- easy locking and unlocking at the handle
- lasered line scale with fine adjustment for the respective setting value
- optimally designed, serrated steel handle for easy setting of the desired torque value, as well as a secure grip of the tool handle
- clearly audible release tone
- incl. calibration certificate
- safe and tidy storage in blow mold case
- 1 Torque Wrench | 6.3 mm (1/4") | 2 - 24 Nm
- 1 Torque Wrench | 10 mm (3/8") | 19 - 110 Nm
- 1 Torque Wrench | 12.5 mm (1/2") | 28 - 210 Nm



Art. 90114

Combination Spanner | 35 mm

- chrome-plated, polished jaws
- ring end 15° angled
- profile ring end: 12-point
- heavy duty type



Art. 1185-35

Combination Spanner | 40 mm

- chrome-plated, polished jaws
- ring end 15° angled
- profile ring end: 12-point
- heavy duty type



Art. 1185-40

Combination Spanner | 42 mm

- chrome-plated, polished jaws
- ring end 15° angled
- profile ring end: 12-point
- heavy duty type



Art. 1185-42

Combination Spanner | 44 mm

- chrome-plated, polished jaws
- ring end 15° angled
- profile ring end: 12-point
- heavy duty type



Art. 1185-44

Combination Spanner | 48 mm

- chrome-plated, polished jaws
- ring end 15° angled
- profile ring end: 12-point
- heavy duty type



Art. 1185-48

Snap-Off Blade Knife | Blade Width 9 / 18 mm | 3 pcs.

- practical set composition
- versatile use in workshop, home and garden
- for cutting carpet, cardboard, foils, etc.
- simple and safe handling
- break off segmented blade
- replaceable blades
- fast blade exchange without tools
- integrated eyelet for space saving hanging up
- 2 Universal Knife | Break-off segmented Blade 18 mm
- 1 Universal Knife | Break-off segmented Blade 9 mm



Art. 50599

Radiator bleeder | with Collecting Container 65 ml

- for quick and clean bleeding of radiators
- belongs to the basic equipment of every do-it-yourself worker
- save on heating costs by bleeding the system regularly
- small useful helper, quick and easy to attach
- plastic covers protect against pollution
- allows simple and time-saving work
- simply and safe to use
- long service life



Art. 50508

Wheel for Pushcarts / Handcarts | PU, red / blue | 260 mm

- tubeless and airless tyres made of PU, no inflation,
- puncture-resistant: no air loss, no flat tyres
- shaft diameter: Ø 20 mm, axle width: 75 mm



Art. 80651

Pushcart Wheel | PU, red / blue | 400 mm

- repair your pushcart short term and make it ready for use again
- quick and easy to install
- tubeless and airless tyres made of PU, no inflation,
- puncture-resistant: no air loss, no flat tyres
- shaft diameter: Ø 20 mm, axle width: 75 mm



Art. 80656

Clothesline | flexible | 1,9 - 2,4 m | with 10 Clips


- suitable for indoor and outdoor activities, hiking, fishing or camping
- ideal for at home or to go
- small useful helper, quick and easy to attach
- can be used regardless of the season and outdoor temperatures, with UV resistance
- flexible
- sturdy and strong with high load-bearing capacity
- with the fixing hook a tight fit is guaranteed
- includes 10 universal steel clamps
- handles and clamping jaws dip-coated with rubber protection
- easy and space-saving to transport in a backpack



Art. 85535

Paint Roller Set | 13 pcs.



- practical set composition
- for use on smooth and slightly structured surfaces
- prevents streaks or drips
- Fine-pored foam roller for even and precise application of paint
- Plush roller for precise application of glazes
- ergonomic handle contour fits perfectly in the hand
- steel shackle
- hanging hole for easy storage
- 1 insert bracket, 240 mm
- 8 plush roller, 100 mm
- 4 foam roller, 100 mm



Art. 76515

Car Boot Net | 38 x 38 cm


- universal and versatile use
- whether in a car, motorbike or bicycle basket
- for securely fastening of helmets, bags and equipment
- practical daily accessory
- with flexible rubber band
- with fastening hooks
- rounded surface shape



Art. 85542

Car Boot Net | 130 x 100 cm


- universal and versatile use
- whether in a car, motorbike or bicycle basket
- for securely fastening of helmets, bags and equipment
- practical daily accessory
- with flexible rubber band
- with fastening hooks
- rounded surface shape



Art. 85544

Hose Clamp Assortment | Ø 10 - 45 mm | 15 pcs.

- practical set composition
- depending on size suitable for fuel hoses, radiator hoses, garden hoses, washing machine hoses or sand filter systems at the home garden pool
- easy assembly by external hexagon slotted screw
- enables easy opening and closing of the clamp with a slotted screwdriver or wrench (6 - 7 mm)
- 5 hose clamps 10 - 16 mm
6 hose clamps 14 - 24 mm
4 hose clamps 25 - 40 mm



Art. 88185

Safety Pin Assortment | 22 - 55 mm | 6 Sizes | 250 pcs.

- practical set composition with 6 different sizes
- safety lock
- practical daily accessory
- manufactured from metal
- in a practical assortment box for clear storage and transport
- rust-proof
- 80 Safety Pins 22 mm
50 Safety Pins 26 mm
50 Safety Pins 31 mm
30 Safety Pins 36 mm
20 Safety Pins 45 mm
20 Safety Pins 55 mm



Art. 88196

Bit Set | with Bit Ratchet | External Hexagon 6.3 mm (1/4") | 11 pcs.

- indispensable tool in every household, workshop and toolbox
- practical set composition for the most common types of screws
- for loosening and tightening screw connections
- suitable for screwing applications in various materials
- reversible ratchet with narrow head shape
- easy one-hand operation with practical switch lever (left / right)
- serrated
- magnetic inlay
- can be used with all bits 6.3 mm (1/4")
- bit set in practical plastic holder
- with different drive profiles
- in a practical holder with printed size indications
- easy to store and always close at hand



Art. 90110

Aluminium Caulking Gun | with Joint Smoother Set | 5 pcs.

- suitable for daily DIY use
- for sanitary applications
- indispensable tool for every tiler and do-it-yourselfer
- for working with adhesives and sealants in tubular bags
- fits on all standard cartridges
- ergonomically shaped, for a secure grip
- integrated eyelet for space saving hanging up
- heavy duty and robust design
- impact resistant body
- smoothing tools in various shapes for immediate resealing and sealing
- for professional smoothing of permanently elastic joint compounds without smoothing agent
- for creating seamless sealing and expansion joints with silicone, acrylic, polyurethane, etc.
- can also be used in hard-to-reach places
- wide range of applications
- precise peel-off edge
- easy to clean



Art. 90111

Angle Gauge | 12.5 mm (1/2") Drive


- is required when repairing engines
- angle scale: 0 - 360°
- precise measurement with numerical scale
- stop screw
- to be used with a torque wrench or reversible ratchet



Art. 93084

Hollow Wall Anchor Assortment | Ø 6 - 10 mm | 85 pcs.

- suitable for concrete, solid brick, hollow brick, hollow block, aerated concrete, plasterboard, gypsum fibreboard
- ideal for securing screws
- weather- and UV-resistant
- made of high-grade plastic, wear-resistant and long-lasting
- made in Germany
- practical assortment box for clear storage and transport
- 15 dowels with diameter 10 mm, length 60 mm
- 30 dowels with diameter 8 mm, length 50 mm
- 40 dowels with diameter 6 mm, length 36 mm



Art. 88086

Drywall Screws | PH2 | Fine Thread | 3,9 x 25 mm | 200 pcs.

- suitable for wood, plasterboard and chipboard
- fully threaded with high strength under tensile and compressive loads
- countersunk head permits flush with the adjacent areas in the material
- sharp edges in the material are prevented and the risk of injury is reduced
- ensures a secure screw connection
- fine thread
- in a practical and sturdy window colour box



Art. 88061

Drywall Screws | PH2 | Fine Thread | 3,9 x 35 mm | 150 pcs.

- suitable for wood, plasterboard and chipboard
- fully threaded with high strength under tensile and compressive loads
- countersunk head permits flush with the adjacent areas in the material
- sharp edges in the material are prevented and the risk of injury is reduced
- ensures a secure screw connection
- fine thread
- in a practical and sturdy window colour box



Art. 88063

Drywall Screws | PH2 | Coarse Thread | 3,9 x 25 mm | 200 pcs.

- suitable for wood, plasterboard and chipboard
- fully threaded with high strength under tensile and compressive loads
- countersunk head permits flush with the adjacent areas in the material
- sharp edges in the material are prevented and the risk of injury is reduced
- ensures a secure screw connection
- in a practical and sturdy window colour box



Art. 88065

Drywall Screws | PH2 | Coarse Thread | 3,9 x 35 mm | 150 pcs.

- suitable for wood, plasterboard and chipboard
- fully threaded with high strength under tensile and compressive loads
- countersunk head permits flush with the adjacent areas in the material
- sharp edges in the material are prevented and the risk of injury is reduced
- ensures a secure screw connection
- in a practical and sturdy window colour box



Art. 88067

Multi-Purpose Screws | T-Star (for Torx) T10 | 3.0 x 20 mm | 260 pcs.

- for universal use in wood, plastic or concrete (when used with suitable dowels)
- fully threaded with high strength under tensile and compressive loads
- countersunk head permits flush with the adjacent areas in the material
- sharp edges in the material are prevented and the risk of injury is reduced
- T-Star (for Torx) drive profile with excellent power transmission
- in a practical and sturdy window colour box



Art. 88000

Multi-Purpose Screws | T-Star (for Torx) T10 | 3.5 x 30 mm | 1kg / 500 pcs.

- for universal use in wood, plastic or concrete (when used with suitable dowels)
- fully threaded with high strength under tensile and compressive loads
- countersunk head permits flush with the adjacent areas in the material
- sharp edges in the material are prevented and the risk of injury is reduced
- T-Star (for Torx) drive profile with excellent power transmission
- in a practical and sturdy window colour box



Art. 88022

Multi-Purpose Screws | T-Star (for Torx) T20 | 4.0 x 40 mm | 1kg / 460 pcs.

- for universal use in wood, plastic or concrete (when used with suitable dowels)
- fully threaded with high strength under tensile and compressive loads
- countersunk head permits flush with the adjacent areas in the material
- sharp edges in the material are prevented and the risk of injury is reduced
- T-Star (for Torx) drive profile with excellent power transmission
- in a practical and sturdy window colour box



Art. 88023

Multi-Purpose Screws | T-Star (for Torx) T20 | 4.0 x 50 mm | 1kg / 375 pcs.

- for universal use in wood, plastic or concrete (when used with suitable dowels)
- fully threaded with high strength under tensile and compressive loads
- countersunk head permits flush with the adjacent areas in the material
- sharp edges in the material are prevented and the risk of injury is reduced
- T-Star (for Torx) drive profile with excellent power transmission
- in a practical and sturdy window colour box



Art. 88025

Multi-Purpose Screws | T-Star (for Torx) T20 | 4.5 x 50 mm | 1kg / 290 pcs.

- for universal use in wood, plastic or concrete (when used with suitable dowels)
- fully threaded with high strength under tensile and compressive loads
- countersunk head permits flush with the adjacent areas in the material
- sharp edges in the material are prevented and the risk of injury is reduced
- T-Star (for Torx) drive profile with excellent power transmission
- in a practical and sturdy window colour box



Art. 88026

Multi-Purpose Screws | T-Star (for Torx) T20 | 4.0 x 60 mm | 1kg / 240 pcs.

- for universal use in wood, plastic or concrete (when used with suitable dowels)
- fully threaded with high strength under tensile and compressive loads
- countersunk head permits flush with the adjacent areas in the material
- sharp edges in the material are prevented and the risk of injury is reduced
- T-Star (for Torx) drive profile with excellent power transmission
- in a practical and sturdy window colour box



Art. 88027

Multi-Purpose Screws | T-Star (for Torx) T20 | 4.5 x 70 mm | 1kg / 210 pcs.

- for universal use in wood, plastic or concrete (when used with suitable dowels)
- fully threaded with high strength under tensile and compressive loads
- countersunk head permits flush with the adjacent areas in the material
- sharp edges in the material are prevented and the risk of injury is reduced
- T-Star (for Torx) drive profile with excellent power transmission
- in a practical and sturdy window colour box



Art. 88028

Multi-Purpose Screws | T-Star (for Torx) T25 | 5.0 x 80 mm | 1kg / 150 pcs.

- for universal use in wood, plastic or concrete (when used with suitable dowels)
- partial thread pulls the parts to be joined to each other under high pressure
- countersunk head permits flush with the adjacent areas in the material
- sharp edges in the material are prevented and the risk of injury is reduced
- T-Star (for Torx) drive profile with excellent power transmission
- in a practical and sturdy window colour box
- thread diameter: 5.0 mm



Art. 88029

Multi-Purpose Screws | T-Star (for Torx) T25 | 5.0 x 100 mm | 1kg / 120 pcs.

- for universal use in wood, plastic or concrete (when used with suitable dowels)
- partial thread pulls the parts to be joined to each other under high pressure
- countersunk head permits flush with the adjacent areas in the material
- sharp edges in the material are prevented and the risk of injury is reduced
- T-Star (for Torx) drive profile with excellent power transmission
- in a practical and sturdy window colour box
- thread diameter: 5.0 mm



Art. 88030

Multi-Purpose Screws | T-Star (for Torx) T25 | 6.0 x 80 mm | 1kg / 100 pcs.

- for universal use in wood, plastic or concrete (when used with suitable dowels)
- partial thread pulls the parts to be joined to each other under high pressure
- countersunk head permits flush with the adjacent areas in the material
- sharp edges in the material are prevented and the risk of injury is reduced
- T-Star (for Torx) drive profile with excellent power transmission
- in a practical and sturdy window colour box
- thread diameter: 6.0 mm



Art. 88031

Multi-Purpose Screws | T-Star (for Torx) T25 | 6.0 x 100 mm | 1kg / 80 pcs.

- for universal use in wood, plastic or concrete (when used with suitable dowels)
- partial thread pulls the parts to be joined to each other under high pressure
- countersunk head permits flush with the adjacent areas in the material
- sharp edges in the material are prevented and the risk of injury is reduced
- T-Star (for Torx) drive profile with excellent power transmission
- in a practical and sturdy window colour box
- thread diameter: 6.0 mm



Art. 88032

Multi-Purpose Screws | T-Star (for Torx) T30 | 6.0 x 120 mm | 1kg / 70 pcs.

- for universal use in wood, plastic or concrete (when used with suitable dowels)
- partial thread pulls the parts to be joined to each other under high pressure
- countersunk head permits flush with the adjacent areas in the material
- sharp edges in the material are prevented and the risk of injury is reduced
- T-Star (for Torx) drive profile with excellent power transmission
- in a practical and sturdy window colour box
- thread diameter: 6.0 mm



Art. 88033